

chain nodes :

7 8 15 16 17 19

ring nodes :

1 2 3 4 5 6 9 10 11 12 13 14

chain bonds :

5-17 6-7 7-8 8-11 10-15 14-16

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-14 10-11 11-12 12-13 13-14

exact/norm bonds :

6-7 7-8 8-11 9-10 9-14 10-11 10-15 11-12 12-13 13-14 14-16

exact bonds :

5-17

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

isolated ring systems :

containing 1 : 9 :

G1:PO3H2,S03H

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 19:CLASS

=> d his

(FILE 'HOME' ENTERED AT 09:46:39 ON 16 MAR 2003)

FILE 'REGISTRY' ENTERED AT 09:46:46 ON 16 MAR 2003



L1 STRUCTURE UPLOADED

L2 0 S L1

L3 30 S L1 FULL


=> d que 13 stat

L1 STR




Page 1-A

G1 18



Page 1-B



Page 2-B

VAR G1=21/25

NODE ATTRIBUTES:

NSPEC	IS R	AT	1
NSPEC	IS R	AT	2
NSPEC	IS R	AT	3
NSPEC	IS R	AT	4
NSPEC	IS R	AT	5
NSPEC	IS R	AT	6
NSPEC	IS C	AT	7
NSPEC	IS C	AT	8
NSPEC	IS R	AT	9
NSPEC	IS R	AT	10
NSPEC	IS R	AT	11
NSPEC	IS R	AT	12
NSPEC	IS R	AT	13
NSPEC	IS R	AT	14
NSPEC	IS C	AT	15
NSPEC	IS C	AT	16
NSPEC	IS C	AT	17
NSPEC	IS C	AT	18
NSPEC	IS C	AT	19
NSPEC	IS C	AT	20

DEFAULT MLEVEL IS ATOM

MLEVEL IS CLASS AT 7 8 15 16 17 19 20 21 22 23 24 25 26 27 28

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC I

NUMBER OF NODES IS 28

STEREO ATTRIBUTES: NONE

L3 30 SEA FILE=REGISTRY SSS FUL L1

100.0% PROCESSED 104 ITERATIONS

30 ANSWERS

SEARCH TIME: 00.00.01

=> fil capl

FILE 'CAPLUS' ENTERED AT 09:47:58 ON 16 MAR 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Mar 2003 VOL 138 ISS 12
FILE LAST UPDATED: 14 Mar 2003 (20030314/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

'FIONA' IS DEFAULT FORMAT FOR 'CAPLUS' FILE

=> s 13

L4 10 L3

=> d 1-10 ibib iabs hitstr


L4 ANSWER 1 OF 10 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2002:292873 CAPLUS
 DOCUMENT NUMBER: 137:249118
 TITLE: Dyes and compositions for ink jet printing
 AUTHOR(S): Anon.
 CORPORATE SOURCE: UK
 SOURCE: IP.com Journal (2001), 1(8), 23 (No. IPCOM000005022D)
 . 31 Aug 2001
 CODEN: IJPOBK; ISSN: 1533-0001
 PUBLISHER: IP.com, Inc.
 DOCUMENT TYPE: Journal; Patent
 LANGUAGE: English
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
IP 5022D		20010831		

PRIORITY APPLN. INFO.: IP 2001-5022D 20010831

ABSTRACT:
 Comps. for use in ink jet printing comprise one or more yellow azopyridone dyes, dispersants, solvents, surfactant stabilizers, etc. The inks show improvements in shade, lightfastness, and stability towards ozone.

IT 455300-26-2
 RL: TEM (Technical or engineered material use); USES (Uses)
 (ink compn. based on yellow azopyridone dyes for ink jet printing)
 RN 455300-26-2 CAPLUS
 CN 1,3'-Bipyridinium, 3-carboxy-5'-[(2-carboxy-4-sulphophenyl)azo]-1'.2'-dihydro-6'-hydroxy-4'-methyl-2'-oxo- (9C1) (CA INDEX NAME)




L4 ANSWER 3 OF 10 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2002:286257 CAPLUS
 DOCUMENT NUMBER: 137:249116
 TITLE: Dyes and compositions for ink jet printing
 AUTHOR(S): Anon.
 CORPORATE SOURCE: UK
 SOURCE: IP.com Journal (2001), 1(4), 53 (No. IPCOM000004672D)
 . 30 Apr 2001
 CODEN: IJPOBK; ISSN: 1533-0001
 PUBLISHER: IP.com, Inc.
 DOCUMENT TYPE: Journal; Patent
 LANGUAGE: English
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
IP 4672D		20010430		

PRIORITY APPLN. INFO.: IP 2001-4672D 20010430

ABSTRACT:
 Comps. for use in ink jet printing comprise Direct Black 195 and a yellow azopyridone dye, dispersants, solvents, surfactant stabilizers, etc. The inks show improvements in shade, lightfastness, and stability towards ozone.

IT 455300-26-2
 RL: TEM (Technical or engineered material use); USES (Uses)
 (ink compn. based on yellow azopyridone and Direct Black 195 dyes for ink jet printing)
 RN 455300-26-2 CAPLUS
 CN 1,3'-Bipyridinium, 3-carboxy-5'-[(2-carboxy-4-sulphophenyl)azo]-1'.2'-dihydro-6'-hydroxy-4'-methyl-2'-oxo- (9C1) (CA INDEX NAME)




L4 ANSWER 2 OF 10 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2002:287104 CAPLUS
 DOCUMENT NUMBER: 137:218461
 TITLE: Jet-printing ink compositions
 AUTHOR(S): Anon.
 CORPORATE SOURCE: UK
 SOURCE: IP.com Journal (2002), 2(2), 103 (No. IPCOM000006588D), 28 Feb 2002
 CODEN: IJPOBK; ISSN: 1533-0001
 PUBLISHER: IP.com, Inc.
 DOCUMENT TYPE: Journal; Patent
 LANGUAGE: English
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
IP 6588D		20020228		

PRIORITY APPLN. INFO.: IP 2002-6588D 20020228

ABSTRACT:
 Ink-jet inks of good pH stability may be prepd. from compns. which comprise one or more yellow dyes and one or more buffers. Examples of suitable yellow dyes are water-sol. azo and bis azo dyes such as C.I. Direct Yellow 86, C.I. Direct Yellow 132, C.I. Direct Yellow 142, C.I. Direct Yellow 173, and C.I. Acid Yellow 23. Examples of buffers include substituted amino compns., esp. aliph. amines, morpholine derivs. and piperazine derivs., particularly those which have a sulfonic acid, carboxylic acid or one or more hydroxyl groups.

IT 455300-26-2
 RL: TEM (Technical or engineered material use); USES (Uses)
 (yellow dye; storage-stable aq. jet-printing ink compns. contg.)
 RN 455300-26-2 CAPLUS
 CN 1,3'-Bipyridinium, 3-carboxy-5'-[(2-carboxy-4-sulphophenyl)azo]-1'.2'-dihydro-6'-hydroxy-4'-methyl-2'-oxo- (9C1) (CA INDEX NAME)




L4 ANSWER 4 OF 10 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2001:676861 CAPLUS
 DOCUMENT NUMBER: 135:243734
 TITLE: Azo dye compositions and jet-printing inks containing them
 INVENTOR(S): Ewing, Paul Nicholas; Holbrook, Mark; Shawcross, Andrew Paul
 PATENT ASSIGNEE(S): Avecia Limited, UK
 SOURCE: PCT Int. Appl., 29 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001066651	A1	20010913	WO 2001-GB609	20010215

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
 GB 2374080 A1 20021009 GB 2002-16969 20010215
 PRIORITY APPLN. INFO.: GB 2000-5163 A 20000304
 WO 2001-GB609 W 20010215

OTHER SOURCE(S): MARPAT 135:243734
 GRAPHIC IMAGE:




ABSTRACT:
 Comps. contg. a monoazo dye (I: A1 = arom. group; R1 = H, optionally substituted alkyl, alkenyl, alkynyl, pyridinium, aryl; R2 = H, optionally substituted alkyl, alkenyl, alkynyl, pyridinium, aryl, CO2H, CN, amino, carbamoyl; R3 = H, optionally substituted alkyl, alkenyl, alkynyl, aryl) and a disazo dye (II: A2-A5 = arom. group; L = H, L and R4 may form a heterocyclic ring with the N; R4 = H, optionally substituted alkyl, alkenyl, alkynyl, aryl) or their salts show better storage, processing, and print properties (when used in yellow jet-printing inks) than either I or II alone. Five examples of dye

applicants

L4 ANSWER 4 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)
synthesis were given.

IT 359873-35-1P
RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(yellow dye: prodn. of azo dyes and their mixts. for yellow jet-printing inks)
RN 359873-35-1 CAPLUS
CN 1,3'-Bipyridinium, 3-carboxy-5'-[(2-carboxy-4-sulphophenyl)azo]-1',2'-dihydro-6'-hydroxy-4'-methyl-2'-oxo-, chloride (9CI) (CA INDEX NAME)




● C1 -

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE REFORMAT

L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 2001:228976 CAPLUS
DOCUMENT NUMBER: 134:267727
TITLE: Yellow pyridone azo dyes, inks containing them and their use in printing
INVENTOR(S): Tallant, Neil Anthony; Millard, Christine
PATENT ASSIGNEE(S): Avecia Limited, UK
SOURCE: PCT Int. Appl., 42 pp.
CODEN: PIXX02
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001021714	A2	20010329	WO 2000-GB3550	20000918
WO 2001021714	A3	20011011		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CH, GA, GW, HW, ML, MR, NE, SN, TD, TG				
AU 2000074321	A5	20010424	AU 2000-74321	20000918
EP 1218449	A2	20020703	EP 2000-962673	20000918
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LT, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
PRIORITY APPLN. INFO.: GB 1999-22136 A 19990920 WO 2000-GB3550 W 20000918				
OTHER SOURCE(S): MARPAT 134:267727				
GRAPHIC IMAGE:				



L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)


ABSTRACT:
The dyes have the structure I [M = H, cation; R1, R3 = H, (un)substituted C1-8 org. group; A: R2 = (un)substituted C1-8 org. group; R4, R5, X, Y, Z = H, substituent; c = 2-6; m, n = 0-2], contg. ,gtoreq.1 SO3H or PO3H2 group, with certain specified exclusions. These compds. and their solns. are useful as the colorants to prep. color filters for liq.-crystal displays. For example, cyclocondensation of EtO2CCH2CN, H2NCH2CH2OCH2CH2OH, and MeCOCH2CO2Me gave a hydroxypyridone, which was coupled with diazotized 2-amino-4-sulfobenzoic acid to produce I (M = H, R1 = CH2CH2OCH2CH2OH, R2 = Me, X = SO3H, Z = CN, m = 1, n = 0).

IT 331732-74-2P
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of yellow pyridone azo dyes)
RN 331732-74-2 CAPLUS
CN Benzoic acid, 2-[[1-(2-aminoethyl)-5-cyano-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9CI) (CA INDEX NAME)




IT 331732-54-8P 331732-55-9P 331732-56-0P
331732-57-1P 331732-58-2P 331732-59-3P
331732-60-6P 331732-61-7P 331732-62-8P
331732-63-9P 331732-64-0P 331732-65-1P
331732-66-2P 331732-67-3P 331732-68-4P
331732-69-5P 331732-70-8P 331732-71-9P
331732-72-0P 331732-73-1P 331732-75-3P
RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(yellow pyridone azo dyes and their solns.)
RN 331732-54-8 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1,6-dihydro-2-hydroxy-1-[(2-hydroxyethoxy)ethyl]-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9CI) (CA INDEX NAME)


L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)




RN 331732-55-9 CAPLUS
CN Benzoic acid, 2-[[1-butyl-5-cyano-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9CI) (CA INDEX NAME)



RN 331732-56-0 CAPLUS
CN Benzoic acid, 2-[[1-butyl-5-cyano-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9CI) (CA INDEX NAME)




RN 331732-57-1 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1-(2-ethylhexyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9CI) (CA INDEX NAME)




RN 331732-58-2 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1,6-dihydro-2-hydroxy-1-(2-hydroxyethyl)-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9CI) (CA INDEX NAME)


L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 331732-59-3 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1-(2-ethoxyethyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9C1) (CA INDEX NAME)




RN 331732-60-6 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1-(3-ethoxypropyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9C1) (CA INDEX NAME)




RN 331732-61-7 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1-(3-ethoxypropyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9C1) (CA INDEX NAME)


L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 331732-62-8 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1,6-dihydro-2-hydroxy-1-(5-hydroxypentyl)-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9C1) (CA INDEX NAME)




RN 331732-63-9 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1,6-dihydro-2-hydroxy-1-(2-(2-hydroxyethoxy)ethyl)-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9C1) (CA INDEX NAME)




RN 331732-64-0 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1,6-dihydro-2-hydroxy-1-(3-hydroxypropyl)-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9C1) (CA INDEX NAME)


L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)




RN 331732-65-1 CAPLUS
CN Benzoic acid, 2-[[5-cyano-1-(2-ethoxyethyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9C1) (CA INDEX NAME)



RN 331732-66-2 CAPLUS
CN Benzoic acid, 2-[[5-(aminocarbonyl)-1-butyl-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9C1) (CA INDEX NAME)




RN 331732-67-3 CAPLUS
CN Benzoic acid, 2-[[5-(aminocarbonyl)-1-ethyl-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9C1) (CA INDEX NAME)




RN 331732-68-4 CAPLUS

L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)


CN Benzoic acid, 2-[[5-(aminocarbonyl)-1-(2-ethylhexyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9C1) (CA INDEX NAME)



RN 331732-69-5 CAPLUS
CN Benzoic acid, 2-[[5-(aminocarbonyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-1-propyl-3-pyridinyl]azo]-5-sulfo- (9C1) (CA INDEX NAME)




RN 331732-70-8 CAPLUS
CN Benzoic acid, 2-[[5-(aminocarbonyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-1-propyl-3-pyridinyl]azo]-4-sulfo- (9C1) (CA INDEX NAME)




RN 331732-71-9 CAPLUS
CN Benzoic acid, 2-[[5-(aminocarbonyl)-1-butyl-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-4-sulfo- (9C1) (CA INDEX NAME)


L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 331732-72-0 CAPLUS
CN Benzoic acid, 2-[(1-butyl-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl)azo]-4-sulfo- (9C1) (CA INDEX NAME)




RN 331732-73-1 CAPLUS
CN Benzoic acid, 2-[(5-cyano-1,6-dihydro-2-hydroxy-1-[2-[(4-[(2-hydroxyethyl)amino]-6-[(3-sulfonyl)amino]-1,3,5-triazin-2-yl)amino]ethyl]-4-methyl-6-oxo-3-pyridinyl)azo]-4-sulfo- (9C1) (CA INDEX NAME)



RN 331732-75-3 CAPLUS
CN Benzoic acid, 2-[(5-(aminocarbonyl)-1-butyl-4-ethyl-1,2-dihydro-6-hydroxy-2-oxo-3-pyridinyl)azo]-4-sulfo- (9C1) (CA INDEX NAME)

L4 ANSWER 5 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)



L4 ANSWER 6 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)

an ink-jet printing process using the inks, substrates printed with the inks, and ink-jet printer cartridges contg. the inks. Thus, ClCH₂CONH₂ was condensed with nicotinic acid to give 1-(carbamoylmethyl)-3-carboxypyridinium chloride, which was cyclized with MeCOCH₂CO₂Et to give the substituted hydroxypyridinone, which was coupled with diazotized 2,5-H₂N(HO₃S)C₆H₃CO₂H to produce the desired I. When this dye was formulated into an ink-jet ink and applied to paper, it produced a bright yellow print with good chroma and lightfastness.


IT 240128-09-0P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(yellow; prepn. of monoazo dyes for use in ink-jet inks)

RN 240128-09-0 CAPLUS

CN 1,3'-Bipyridinium, 4-carboxy-5'-[(2-carboxy-4-sulfonyl)azo]-1',2'-dihydro-6'-hydroxy-4'-methyl-2'-oxo-, inner salt, sodium salt (9C1) (CA INDEX NAME)



Na

REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 10 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1999:566122 CAPLUS

DOCUMENT NUMBER: 131:186220

TITLE: Monoazo dyes and ink-jet inks containing them

INVENTOR(S): Kenworthy, Mark; Kenyon, Ronald Wynford

PATENT ASSIGNEE(S): Zeneca Limited, UK

SOURCE: PCT Int. Appl., 28 pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9943754	A1	19990902	WO 1999-GB479	19990216
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GE, GR, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, RW: GH, GN, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CH, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9925364	A1	19990915	AU 1999-25364	19990216
EP 1056808	A1	20001206	EP 1999-905064	19990216
EP 1056808	B1	20021211		
R: CH, DE, FR, GB, LI				
JP 2002504613	T2	20020212	JP 2000-533497	19990216
US 6488752	B1	20021203	US 2000-623082	20000828
PRIORITY APPLN. INFO.: GB 1998-4175 A 19980228				
WO 1999-GB479 W 19990216				
OTHER SOURCE(S): MARPAT 131:186220				
GRAPHIC IMAGE:				



ABSTRACT:


The dyes have the structure I [R₁, R₂ = H, (un)substituted alkyl or aryl or aralkyl; each W, X = CO₂H, SO₃H, PO₃H₂, alkyl substituted by CO₂H, SO₃H, and/or PO₃H₂; each Y, Z = a substituent other than those defined for W and X; a, d = 1-5; b, c = 0-4; (a + b), (c + d) .ltoreq. 5], or are salts and/or tautomers thereof. Also claimed are inks contg. I, optionally together with other dyes.

L4 ANSWER 7 OF 10 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1991-418637 CAPLUS
 DOCUMENT NUMBER: 115:18637
 TITLE: Color filter
 INVENTOR(S): Yamamura, Shigeo; Hirasawa, Yutaka
 PATENT ASSIGNEE(S): Nippon Kayaku Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 15 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 01303407	A2	19891207	JP 1988-132841	19880601
PRIORITY APPLN. INFO.:			JP 1988-132841	19880601

GRAPHIC IMAGE:



ABSTRACT:

In the title filter, the filter layer contains a phthalocyanine of the structure I [Pc = a phthalocyanine moiety; A = O-, NH2, OC6H4NO2, OC6H4CO2-, OC6H3(NO2)2, OC6H3(NO2)(SO3-), OC6H3(OH)(CO2-); R1, R2 = H, Me, CO2H, NHCOMe,


L4 ANSWER 7 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)

NH2CONH2, Cl-, Br-, OMe, OEt; n = 0, 1; B = II (Y = H, III; R3, R4 = H, OH, CO2-, MeSO2, MeCONH, NH2, C1-3 alkyl, C1-3 alkoxy, halogen; m = 0-2, IV (p = 0-3); Z = Me, Et, CO2-, NH2), or V (R5 = CONH2, CH2SO3-, CN; R6 = C1-4 alkyl, (CH2)qCO2- (q = 1-3), (CH2)qSO3-, C1-3 hydroxyalkyl); .alpha. = 0-3; .beta. = 0-2; .gamma. = 1-4; .alpha. + .beta. + .gamma. .ltoreq. 4; M = Ba2+, Ca2+, Mn2+, Al3+; x, y = 1-4].

IT 128553-29-7
 RL: USES (Uses)
 (color filter contg.)


RN 128553-29-7 CAPLUS
 CN Zincate(2-), [2-[[[5-(aminocarbonyl)-1,6-dihydro-2-hydroxy-1-(2-hydroxyethyl)-4-methyl-6-oxo-3-pyridinyl]azo]-5-[[[C-[[4-nitrophenoxy)sulfonyl]-C-sulfo-29H,31H-phthalocyanin-C-yl)sulfonyl]amino]benzoato(4-)-N29,N30,N31,N32]-, barium (1:1) (9C1) (CA INDEX NAME)

PAGE 1-A



L4 ANSWER 7 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)

PAGE 2-A




L4 ANSWER 8 OF 10 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1986:628488 CAPLUS
 DOCUMENT NUMBER: 105:228488
 TITLE: Water-soluble pyridone monoazo dyes
 INVENTOR(S): Segal, Marcos
 PATENT ASSIGNEE(S): Hoechst A.-G., Fed. Rep. Ger.
 SOURCE: Ger. Offen., 41 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3427188	A1	19860130	DE 1984-3427188	19840724
EP 169457	A1	19860129	EP 1985-108702	19850712
EP 169457	B1	19880302		
R: CH, DE, FR, GB, IT, LI				
IN 164505	A	19890401	IN 1985-CA531	19850717
US 4659807	A	19870421	US 1985-757687	19850722
JP 61037848	A2	19860222	JP 1985-161335	19850723
JP 04043114	B4	19920715		
BR 8503494	A	19860415	BR 1985-3494	19850723
IN 169068	A	19910831	IN 1988-CA999	19881202
IN 169337	A	19910928	IN 1989-CA683	19890821
PRIORITY APPLN. INFO.:			DE 1984-3427188	19840724
			IN 1985-CA531	19850717
			US 1988-206072	19880613
			IN 1988-CA999	19881202
			WO 1989-US2118	19890518

OTHER SOURCE(S): CASREACT 105:228488
 GRAPHIC IMAGE:




ABSTRACT:


Water-sol. I (R = H, CONH2; R1 = H, C1-4 alkyl, C1-4 alkoxy, OH, NO2, halogen; R2 = H, C1-4 alkyl, C1-4 alkoxy, halogen, CO2H, SO3H; R3 = vinyl or precursor; R4 = C1-4 alkyl substituted with OSO3H, OPO3H2, CO2H, or SO3H; Z = benzene, naphthalene, benzanilide, or diphenylamine residue) are useful for dyeing or printing HO- and/or amide group-contg. fabrics. Thus, 4-(beta-

L4 ANSWER 8 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)
 sulfatoethylsulfonyl)aniline was diazotized and coupled with
 6-hydroxy-4-methyl-1-(2-sulfoethyl)-2-pyridone, forming I (R = R1 = R2 = H, R3
 = (CH2)2OSO3H, R4 = (CH2)2SO3H, Z = 1,4-phenylene), λ_{max} (H2O) 411 nm,
 which dyed cotton a dark greenish-yellow shade with good lightfastness.

IT 105512-93-4P 105513-09-5P
 RL: PREP (Preparation)
 (manuf. of, as yellow dye for cotton)
 RN 105512-93-4 CAPLUS
 CN 1-(2H)-Pyridinepropanoic acid, 3-(aminocarbonyl)-5-[[2-carboxy-5-[[2-(sulfoxy)ethyl]sulfonyl]phenyl]azo]-6-hydroxy-4-methyl-2-oxo- (9CI) (CA INDEX NAME)



RN 105513-09-5 CAPLUS
 CN Benzoic acid, 2-[[1,6-dihydro-2-hydroxy-4-methyl-6-oxo-1-(2-sulfoethyl)-3-pyridinyl]azo]-4-[[2-(sulfoxy)ethyl]sulfonyl]- (9CI) (CA INDEX NAME)




L4 ANSWER 9 OF 10 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 1975:74444 CAPLUS
 DOCUMENT NUMBER: 82:74444
 TITLE: Azo compounds
 INVENTOR(S): Oesterlein, Fritz; Hegar, Gert; Seitz, Karl
 PATENT ASSIGNEE(S): Ciba-Geigy A.-G.
 SOURCE: Patentschrift (Switz.), 12 pp.
 CODEN: SWXXAS
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CH 550232	A	19740614	CH 1970-13144	19700515
PRIORITY APPLN. INFO.:			CH 1970-13144	19700515
GRAPHIC IMAGE: For diagram(s), see printed CA Issue.				

ABSTRACT:
 Azo dyes [I, R = sulfophenyl deriv., [(chlorotriazinyl)amino]sulfophenyl deriv., [(anthraquinonyl)amino]chlorotriazinyl]amino]sulfophenyl deriv., R1 = Et, H2NCH2CH2 were prepd. and used to dye cotton and polyamide fibers fast yellow to green shades. Thus, 1,3-diamino-4,6-benzenedisulfonic acid [137-50-8] was treated with cyanuric chloride, and the (dichlorotriazinyl)amino deriv. was diazotized and coupled with 1-ethyl-6-hydroxy-4-methyl-2-pyridone [31643-63-7] to give the (dichlorotriazinyl)amino azo deriv. which was treated with 3-H2NC6H4SO3H [121-47-1] to give azo dye (II) [34372-38-8], pure greenish yellow on cotton. The other I were similarly prepd.

IT 34372-37-7P
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (prepn. of)
 RN 34372-37-7 CAPLUS
 CN Benzoic acid, 2-[[1-ethyl-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9CI) (CA INDEX NAME)




L4 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 1972:87154 CAPLUS
 DOCUMENT NUMBER: 76:87154
 TITLE: Hydroxypyridone azo dyes
 INVENTOR(S): Oesterlein, Fritz; Hegar, Gert; Seitz, Karl
 PATENT ASSIGNEE(S): Ciba-Geigy A.-G.
 SOURCE: Ger. Offen., 59 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2123061	A	19711125	DE 1971-2123061	19710510
FR 2091415	A5	19720114	FR 1971-16855	19710510
CA 965779	A1	19750408	CA 1971-112546	19710510
BE 767179	A1	19711116	BE 1971-103440	19710514
NL 7106678	A	19711117	NL 1971-6678	19710514
BR 7102920	A0	19730503	BR 1971-2920	19710514
ES 391225	A1	19740501	ES 1971-391225	19710514
GB 1359171	A	19740710	GB 1971-15012	19710514
CS 163250	P	19750829	CS 1971-3546	19710514
PRIORITY APPLN. INFO.:			CH 1970-7316	19700515
			CH 1970-11494	19700730
			CH 1971-5399	19710414

ABSTRACT:
 Nine fiber-reactive azo dyes (I, Q = H, substituted chloro-s-triazinylamino; X = H, OH, CO2H, SO3H; Z = H, substituted chloro-s-triazinylamino) and azo dye II [34372-37-7] were prepd. and gave fast greenish yellow or green shades on wool or cellulosic fibers. Co or Cr complexes of compds. with an o,o'-dihydroxy or o-carboxy o'-hydroxy azo group were also prepd. For example, 1,3-(H2N)2C6H2(SO3H)0-4,6 was condensed with cyanuric chloride at 0-5 deg., diazotized, coupled with 1-ethyl-6-hydroxy-4-methyl-2(1H)-pyridone, and condensed with 3-H2NC6H4SO3H at 40-5 deg. to give a fiber-reactive azo dye (III) [34372-38-8], greenish yellow on cotton.

IT 34372-37-7P
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (prepn. of)
 RN 34372-37-7 CAPLUS
 CN Benzoic acid, 2-[[1-ethyl-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridinyl]azo]-5-sulfo- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2003 ACS (Continued)



10/088,643

Page 10

=> log h

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
48.28	197.04

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-6.51	-6.51

CA SUBSCRIBER PRICE

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 09:52:06 ON 16 MAR 2003